L Number	Hits	Search Text	DB	Time stamp
1	5	(("5874361") or ("5868848") or ("5790365") or ("5665166") or ("6033482")).PN.	USPAT; EPO; JPO	2003/10/01 15:14
-	8	(("5310453") or ("5529657") or ("5790365") or ("5874361") or ("5904779") or ("5547539") or ("5458687") or ("6202590")).PN.	USPAT; EPO; JPO	2003/09/05 21:10
-	9	(("5310453") or ("5529657") or ("5790365") or ("5874361") or ("5904779") or ("5547539") or ("5458687") or ("6202590") or ("5567267")).PN.	USPAT; EPO; JPO	2003/09/05 13:55
-	547	(118/723r).CCLS.	USPAT	2003/09/05 13:57
-	1078	(118/728).CCLS.	USPAT	2003/09/05 13:57
-	417	(361/234).CCLS.	USPAT	2003/09/05 13:57
-	310	(279/128).CCLS.	USPAT	2003/09/05 13:57
-	129	(156/345.43).CCLS.	USPAT	2003/09/05 13:58
-	116	(156/345.44).CCLS.	USPAT	2003/09/05 13:58
-	58	(156/345.45).CCLS.	USPAT	2003/09/05 13:58
-	124	(156/345.46).CCLS.	USPAT	2003/09/05 13:58
-	154	(156/345.47).CCLS.	USPAT	2003/09/05 13:58
-	629	(315/111.21).CCLS.	USPAT	2003/09/05 13:58
-	206	(156/345.51).CCLS.	USPAT	2003/09/05 14:30
-	757518	h011021$.ipc. c23c016$.ipc.	JPO; DERWENT	2003/09/17 14:42
-	11379	(h011021$.ipc. c23c016$.ipc.) and (detect$3 measur$5 sens$3 test$3) with (charge$2 impedance$2 voltage$2 capacitance$2)	JPO; DERWENT	2003/09/05 15:58
-	2768	((h011021$.ipc. c23c016$.ipc.) and (detect$3 measur$5 sens$3 test$3) with (charge$2 impedance$2 voltage$2 capacitance$2)) and (electrode$2 cathode$2 anode$2)	JPO; DERWENT	2003/09/05 14:33
-	129	(((h011021$.ipc. c23c016$.ipc.) and (detect$3 measur$5 sens$3 test$3) with (charge$2 impedance$2 voltage$2 capacitance$2)) and (electrode$2 cathode$2 anode$2)) and ((remov$3 releas$3 dechuck$3 chuck$3) with (wafer substrate object work))	JPO; DERWENT	2003/09/05 16:00
-	9	(((h011021$.ipc. c23c016$.ipc.) and (detect$3 measur$5 sens$3 test$3) with (charge$2 impedance$2 voltage$2 capacitance$2)) and (electrode$2 cathode$2 anode$2)) and ((detach$3) with (wafer substrate object work))	JPO; DERWENT	2003/09/05 15:46
-	3	((((h011021$.ipc. c23c016$.ipc.) and (detect$3 measur$5 sens$3 test$3) with (charge$2 impedance$2 voltage$2 capacitance$2)) and (electrode$2 cathode$2 anode$2)) and ((detach$3) with (wafer substrate object work))) not ((((h011021$.ipc. c23c016$.ipc.) and (detect$3 measur$5 sens$3 test$3) with (charge$2 impedance$2 voltage$2 capacitance$2)) and (electrode$2 cathode$2 anode$2)) and ((remov$3 releas$3 dechuck$3 chuck$3) with (wafer substrate object work)))	JPO; DERWENT	2003/09/05 15:46
-	97	(156/345.28).CCLS.	USPAT	2003/09/05 15:57
-	0	("456789101112131416").PN.	USPAT	2003/09/05 15:58
-	3596	((118/723e).CCLS.) ((118/723r).CCLS.) ((118/728).CCLS.) ((361/234).CCLS.) ((279/128).CCLS.) ((156/345.43).CCLS.) ((156/345.44).CCLS.) ((156/345.45).CCLS.) ((156/345.46).CCLS.) ((156/345.47).CCLS.) ((315/111.21).CCLS.) ((156/345.51).CCLS.)	USPAT; EPO; JPO	2003/09/05 15:58

~	922	(((118/723e).CCLS.) ((118/723r).CCLS.) ((118/728).CCLS.) ((361/234).CCLS.) ((279/128).CCLS.) ((156/345.43).CCLS.) ((156/345.44).CCLS.) ((156/345.45).CCLS.) ((156/345.46).CCLS.) ((156/345.47).CCLS.) ((315/111.21).CCLS.) ((156/345.51).CCLS.)) and (control$4 monitor$3 detect$3 measur$5 sens$3 test$3) with (charge$3 impedance$2 voltage$2 capacitance$2)	USPAT	2003/09/17 14:42
~	468	((((118/723e).CCLS.) ((118/723r).CCLS.) ((118/728).CCLS.) ((361/234).CCLS.) ((279/128).CCLS.) ((156/345.43).CCLS.) ((156/345.44).CCLS.) ((156/345.45).CCLS.) ((156/345.46).CCLS.) ((156/345.47).CCLS.) ((315/111.21).CCLS.) ((156/345.51).CCLS.)) and (control$4 monitor$3 detect$3 measur$5 sens$3 test$3) with (charge$3 impedance$2 voltage$2 capacitance$2)) and ((detach$3 remov$3 releas$3 dechuck$3 chuck$3) with (wafer substrate object work))	USPAT	2003/09/05 16:02
~	12	(("6221155") or ("5534751") or ("6485602") or ("6264788") or ("6074518") or ("5900103") or ("6089181") or ("6068729") or ("4539068") or ("6149730") or ("5356722") or ("5286297")).PN.	USPAT; EPO; JPO	2003/09/05 21:12
~	950	(118/723e).CCLS.	USPAT	2003/09/17 13:33
~	417	(361/234).CCLS.	USPAT	2003/09/17 14:43
~	44	((361/234).CCLS.) and dechuck$3	USPAT	2003/09/17 19:10
~	8	((118/723e).CCLS.) and dechuck$3	USPAT	2003/09/17 17:27
~	18	156/345$.ccls. and dechuck$3	USPAT	2003/09/17 15:51
~	13	(156/345$.ccls. and dechuck$3) not (((118/723e).CCLS.) and dechuck$3)	USPAT	2003/09/17 15:40
~	31	(h011021$.ipc. c23c016$.ipc.) and dechuck$3	JPO; DERWENT	2003/09/17 15:50
~	98	((361/234).CCLS.) and (remov$3 with charg$3)	USPAT	2003/09/17 17:30
~	71	(((361/234).CCLS.) and (remov$3 with charg$3)) not (((361/234).CCLS.) and dechuck$3)	USPAT	2003/09/17 16:16
~	16	118/723$.ccls. and dechuck$3	USPAT	2003/09/17 15:52
~	8	(118/723$.ccls. and dechuck$3) not (((118/723e).CCLS.) and dechuck$3)	USPAT	2003/09/17 15:52
~	2	((118/723$.ccls. and dechuck$3) not (((118/723e).CCLS.) and dechuck$3)) not (156/345$.ccls. and dechuck$3)	USPAT	2003/09/17 15:52
~	270	yamashita-toshihiro$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/17 15:55
~	91	"applied materials".as. and dechuck$3	USPAT	2003/09/17 15:56
~	55	("applied materials".as. and dechuck$3) not (((361/234).CCLS.) and dechuck$3)	USPAT	2003/09/17 15:56
~	50	(("applied materials".as. and dechuck$3) not (((361/234).CCLS.) and dechuck$3)) not (((118/723e).CCLS.) and dechuck$3)	USPAT	2003/09/17 15:56
~	63	ise-hirotoshi$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/17 17:19
~	40	((("applied materials".as. and dechuck$3) not (((361/234).CCLS.) and dechuck$3)) not (((118/723e).CCLS.) and dechuck$3)) not (156/345$.ccls. and dechuck$3)	USPAT	2003/09/17 15:59
~	97	(156/345.28).CCLS.	USPAT	2003/09/17 16:17
~	268	yamashita-toshihiro$.in. not ise-hirotoshi$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/17 17:26
~	607	(438/710).CCLS.	USPAT	2003/09/17 17:27
~	7	((438/710).CCLS.) and dechuck$3	USPAT	2003/09/17 17:27
~	29	((438/710).CCLS.) and (remov$3 with charg$3)	USPAT	2003/09/17 17:30

–	27	(((438/710).CCLS.) and (remov$3 with charg$3)) not (((438/710).CCLS.) and dechuck$3)	USPAT	2003/09/17 17:36
–	9	(("6430022") or ("6377060") or ("6185085") or ("6125025") or ("6104595") or ("6075375") or ("5818682") or ("5459632") or ("6447613")).PN.	USPAT; EPO; JPO	2003/09/17 17:37
–	0	("voltagewithprobe").PN.	USPAT	2003/09/17 19:04
–	0	("voltagewithprobe").PN.	USPAT	2003/09/17 19:04
–	8437	voltage with probe	USPAT	2003/09/17 19:04
–	17	((361/234).CCLS.) and (voltage with probe)	USPAT	2003/09/17 19:08
–	12	((118/723e).CCLS.) and (voltage with probe)	USPAT	2003/09/17 19:08
–	11	(((118/723e).CCLS.) and (voltage with probe)) not (((361/234).CCLS.) and (voltage with probe))	USPAT	2003/09/17 19:08
–	8	((361/234).CCLS.) and (dechuck$3 same gap)	USPAT	2003/09/17 19:10
–	2110	118/728.ccls. 118/723e.ccls. 156/345.43.ccls. 156/345.47.ccls. 156/345.51.ccls.	USPAT	2003/09/22 17:53
–	1504	(118/728.ccls. 118/723e.ccls. 156/345.43.ccls. 156/345.47.ccls. 156/345.51.ccls.) and plasma	USPAT	2003/09/22 17:53
–	372	((118/728.ccls. 118/723e.ccls. 156/345.43.ccls. 156/345.47.ccls. 156/345.51.ccls.) and plasma) and chuck	USPAT	2003/09/30 18:49
–	249	(((118/728.ccls. 118/723e.ccls. 156/345.43.ccls. 156/345.47.ccls. 156/345.51.ccls.) and plasma) and chuck) and (inductance capacitance impedance voltage)	USPAT	2003/09/30 18:41
–	174	((((118/728.ccls. 118/723e.ccls. 156/345.43.ccls. 156/345.47.ccls. 156/345.51.ccls.) and plasma) and chuck) and (inductance capacitance impedance voltage)) and (detect$5 measur$5 sens$5 monitor$5)	USPAT	2003/09/30 18:09
–	45	(((118/728.ccls. 118/723e.ccls. 156/345.43.ccls. 156/345.47.ccls. 156/345.51.ccls.) and plasma) and chuck) and ((inductance capacitance impedance voltage) with (detect$5 measur$5 sens$5 monitor$5))	USPAT	2003/09/22 17:57
–	72	(((118/728.ccls. 118/723e.ccls. 156/345.43.ccls. 156/345.47.ccls. 156/345.51.ccls.) and plasma) and chuck) and ((inductance capacitance impedance voltage) same (detect$5 measur$5 sens$5 monitor$5))	USPAT	2003/09/30 17:32
–	175	((((118/728.ccls. 118/723e.ccls. 156/345.43.ccls. 156/345.47.ccls. 156/345.51.ccls.) and plasma) and chuck) and (inductance capacitance impedance voltage)) and (detect$5 measur$5 sens$5 monitor$5)	USPAT; DERWENT	2003/09/30 18:09
–	103	(((((118/728.ccls. 118/723e.ccls. 156/345.43.ccls. 156/345.47.ccls. 156/345.51.ccls.) and plasma) and chuck) and (inductance capacitance impedance voltage)) and (detect$5 measur$5 sens$5 monitor$5)) not ((((118/728.ccls. 118/723e.ccls. 156/345.43.ccls. 156/345.47.ccls. 156/345.51.ccls.) and plasma) and chuck) and ((inductance capacitance impedance voltage) same (detect$5 measur$5 sens$5 monitor$5)))	USPAT; DERWENT	2003/09/30 18:09

–	251	(((118/728.ccls. 118/723e.ccls. 156/345.43.ccls. 156/345.47.ccls. 156/345.51.ccls.) and plasma) and chuck) and (inductance capacitance impedance voltage)	USPAT; DERWENT	2003/09/30 18:41
–	76	((((118/728.ccls. 118/723e.ccls. 156/345.43.ccls. 156/345.47.ccls. 156/345.51.ccls.) and plasma) and chuck) and (inductance capacitance impedance voltage)) not (((((118/728.ccls. 118/723e.ccls. 156/345.43.ccls. 156/345.47.ccls. 156/345.51.ccls.) and plasma) and chuck) and (inductance capacitance impedance voltage)) and (detect$5 measur$5 sens$5 monitor$5))	USPAT; DERWENT	2003/09/30 18:42
–	374	((118/728.ccls. 118/723e.ccls. 156/345.43.ccls. 156/345.47.ccls. 156/345.51.ccls.) and plasma) and chuck	USPAT; DERWENT	2003/09/30 18:49
–	123	(((118/728.ccls. 118/723e.ccls. 156/345.43.ccls. 156/345.47.ccls. 156/345.51.ccls.) and plasma) and chuck) not ((((118/728.ccls. 118/723e.ccls. 156/345.43.ccls. 156/345.47.ccls. 156/345.51.ccls.) and plasma) and chuck) and (inductance capacitance impedance voltage))	USPAT; DERWENT	2003/09/30 19:17
–	15	(("5665166") or ("5665167") or ("5708250") or ("5868848") or ("6033482") or ("6174450") or ("6367413") or ("5478429") or ("5584971") or ("5557215") or ("6201208") or ("6232236") or ("6109896") or ("5529657") or ("6416618")).PN.	USPAT; EPO; JPO	2003/09/30 19:23
–	15	(("5665166") or ("5665167") or ("5708250") or ("5868848") or ("6033482") or ("6174450") or ("6367413") or ("5478429") or ("5584971") or ("5557215") or ("6201208") or ("6232236") or ("6409896") or ("5529657") or ("6416618")).PN.	USPAT; EPO; JPO	2003/09/30 19:23